

Package: languagelayerR (via r-universe)

June 6, 2024

Type Package

Title Access the 'languagelayer' API

Version 1.2.4

Maintainer Colin FAY <contact@colinfay.me>

Description Improve your text analysis with languagelayer
<<https://languagelayer.com>>, a powerful language detection API.

URL <https://github.com/ColinFay/languagelayer>

BugReports <https://github.com/ColinFay/languagelayer/issues>

License MIT + file LICENSE

LazyData TRUE

Imports httr, jsonlite, attempt, curl, utils

RoxygenNote 6.1.0

Suggests testthat, knitr, rmarkdown, covr

ByteCompile true

VignetteBuilder knitr

Repository <https://colinfay.r-universe.dev>

RemoteUrl <https://github.com/colinfay/languagelayer>

RemoteRef HEAD

RemoteSha 9531f60fab4df49d95c8ce6515e54fc78db062ce

Contents

get_lang	2
get_supported_lang	3
languagelayerR	3

Index	4
--------------	----------

get_lang	<i>Get language</i>
----------	---------------------

Description

Detect language from a character string.

Usage

```
get_lang(query, api_key = NULL)
```

Arguments

query	the character string you want to detect the language from.
api_key	your API key.

Details

Takes a character string, returns a data.frame with the available values.

Value

Returns a data.frame with the detected languages, in descending order of probability. Values are : language_code, language_name, probability (length of the provided query text and how well it is identified as a language), percentage (confidence margin between multiple matches), and reliable_result (whether or not the API is completely confident about the main match).

Note

Before running a function of this package for the first time, you need to get your API key.

Examples

```
## Not run:  
get_lang(query = "I really really love R and that's a good thing, right?", api_key = "apikey")  
  
## End(Not run)
```

get_supported_lang *Get supported languages*

Description

Get all current available languages on the languagelayer API.

Usage

```
get_supported_lang(api_key = NULL)
```

Arguments

api_key Your API key.

Details

Returns a data.frame with the available languages.

Value

Returns a data.frame with language_code and language_name.

Note

Before running a function of this package for the first time, you need to get your API key.

Examples

```
## Not run:  
get_supported_lang(api_key = "yourapikey")  
  
## End(Not run)
```

languagelayer *languagelayer*

Description

Access the 'languagelayer' API.

Details

For more info browseVignettes("languagelayer").

Index

`get_lang`, [2](#)

`get_supported_lang`, [3](#)

`languageLayer`, [3](#)